



# PREMIUM TRUCK WASH

Page 1 of 14

## Safety Data Sheet

### Section 1 – Identification

Product Identifier	
Product name	<b>PREMIUM TRUCK WASH</b>
Chemical name	Not Applicable
Synonyms	Product code: UBTRUCK
Proper shipping name	Not Applicable
Chemical formula	Not Applicable
Other means of identification	Not Applicable
CAS number	Not Applicable

Recommended use of the chemical and restrictions on use	
Relevant identified uses	Truck wash detergent.

Details of the manufacturer or importer	
Registered company name	ECOCLEAN UTILITY AGENCIES PTY LTD
Address	26 Notar Drive, Ormeau Queensland Australia 4208
Telephone	07 5549 3666
Website	<a href="http://www.ecocleanavantichem.com.au">www.ecocleanavantichem.com.au</a>
Emergency phone number	Poisons Information Centre: Phone 13 11 26

Emergency Telephone Number	
Association / Organisation	Poisons Information Centre
Emergency telephone number	13 11 26
Other emergency telephone numbers	In an emergency telephone 000, for fire, police and ambulance.

### Section 2 – Hazard(s) Identification

Classification of the substance or mixture	
Poisons Schedule	Not scheduled
GHS Classification	Eye Irritation Category 2A

Label elements
----------------



# PREMIUM TRUCK WASH

Page 2 of 14

## Safety Data Sheet

GHS label pictograms	
Signal word	<b>WARNING</b>

Hazard statement(s)	
<b>H319</b>	Causes serious eye irritation

Precautionary statement(s): Prevention	
<b>P264</b>	Wash skin thoroughly after handling.
<b>P280</b>	Wear protective gloves and eye protection/face protection.

Precautionary statement(s): Response	
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P337 + P313</b>	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s): Storage	
	None allocated

Precautionary statement(s): Disposal	
	None allocated

Note	
<b>IMPORTANT</b>	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:3 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

## Section 3 – Composition and Information on Ingredients

Ingredient	CAS Name	Proportion
Triethanolamine dodecylbenzene sulphonate	27323-41-7	<10% w/w
Disodium metasilicate	6834-92-0	< 10% w/w
Cocamide monoethanolamide	68140-00-1	<10% w/w
Ingredients determined to be non-hazardous	Various	<10% w/w
Water	7732-18-5	>60% w/w



# PREMIUM TRUCK WASH

Page 3 of 14

## Safety Data Sheet

<b>NOTE:</b>	Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) , 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.
--------------	--

### Section 4 – First Aid Measures

Description of necessary first aid measures	
<b>Eye Contact</b>	If this product comes in contact with eyes: <ul style="list-style-type: none"> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Immediately call a POISON CENTER or doctor/physician.</li> </ul>
<b>Skin contact</b>	If skin contact occurs: <ul style="list-style-type: none"> <li>Remove / take off immediately all contaminated clothing</li> <li>Rinse skin with water/shower</li> <li>Wash contaminated clothing before reuse</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing</li> <li>If respiratory symptoms: Immediately call POISON CENTER or doctor.</li> <li>Treat symptomatically.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>Rinse mouth.</li> <li>Do NOT induce vomiting.</li> <li>Immediately call a POISON CENTER or doctor/physician.</li> </ul>

Symptoms caused by exposure	
	Causes serious eye irritation.

Medical attention and special treatment	
	Treat symptomatically

### Section 5 – Fire Fighting Measures

Suitable extinguishing equipment / media	
	<ul style="list-style-type: none"> <li>Use an extinguishing media suitable for surrounding fires.</li> <li>Water spray or fog.</li> <li>Foam.</li> <li>Dry Chemical Powder</li> <li>BCF (where allowed)</li> <li>Carbon dioxide</li> </ul>



# PREMIUM TRUCK WASH

Page 4 of 14

## Safety Data Sheet

Special hazards arising from the chemical	
<b>Fire incompatibility</b>	No known incompatibility.

Special protective equipment and precautions for fire fighters	
<b>Fire Fighting</b>	<ul style="list-style-type: none"> <li>Alert Fire Brigade and tell them the location and the nature of the hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent spillage from entering drains or watercourse.</li> <li>Keep away from hot containers.</li> <li>Cool hot containers with water spray.</li> </ul>
<b>Fire/Explosion Hazard</b>	<ul style="list-style-type: none"> <li>Non-combustible</li> <li>Not considered to be a considerable fire risk.</li> <li>Containers may explode on heating.</li> <li>May emit acid smoke.</li> <li>May emit corrosive fumes.</li> <li>Decomposition may product toxic fumes of decomposition.</li> </ul>

## Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	
<b>Minor spills</b>	<ul style="list-style-type: none"> <li>Clean up spills immediately.</li> <li>Avoid contact with skin and eyes.</li> <li>Use Personal Protective Equipment.</li> <li>Contain and absorb spill with vermiculite or other suitable material.</li> <li>Sweep or wipe up.</li> <li>Place in a suitable container for disposal.</li> </ul>
<b>Major spills</b>	<ul style="list-style-type: none"> <li>Clear area of personnel.</li> <li>Use Personal Protective Equipment.</li> <li>Prevent spill from entering drains or watercourse.</li> <li>If contamination occurs contact emergency services.</li> <li>Contain and absorb spill with vermiculite or other suitable material.</li> <li>Label collected material for disposal.</li> <li>Decontaminate if necessary (see section 13).</li> <li>Laundry and clean all protective equipment prior to being re-used.</li> </ul>

Environmental precautions	
	<ul style="list-style-type: none"> <li>Use appropriate containment to avoid environmental contamination.</li> <li>Prevent from spreading and entering waterway using sand, earth or other appropriate barriers.</li> <li>DO NOT DISCHARGE BULK QUANTITIES INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT.</li> <li>Inform local authorities if this occurs.</li> </ul>



# PREMIUM TRUCK WASH

Page 5 of 14

## Safety Data Sheet

### Methods and materials for containment and cleaning up

Personal protective equipment advice is contained in Section 8 of the SDS

## Section 7 – Handling and Storage

### Precautions for safe handling

<b>Safe handling</b>	<ul style="list-style-type: none"> <li>Wear prescribed protective clothing.</li> <li>Do NOT eat, drink or smoke when handling.</li> <li>Wash hands after use.</li> <li>Keep containers closed tightly when not in use.</li> <li>Store in accordance to manufacturer's instructions.</li> </ul>
<b>Other information</b>	<ul style="list-style-type: none"> <li>Store in original containers.</li> <li>Store in a cool, dry, well ventilated area out of direct sunlight.</li> </ul>

### Conditions for safe storage, including any incompatibilities

<b>Suitable container</b>	<ul style="list-style-type: none"> <li>Not to be transported in unlined metal drums.</li> <li>Lined metal can, lined metal pail/can.</li> <li>Plastic pail.</li> <li>Polyliner drum.</li> <li>Packaging as recommended by manufacturer.</li> </ul>
<b>Storage incompatibility</b>	<ul style="list-style-type: none"> <li>No known incompatibilities.</li> </ul>

## Section 8 – Exposure controls and personal protection

### Control parameters

<b>Occupational Exposure Limits (OEL)</b>	See Ingredients Data and Emergency Limits below.
---	--

### Ingredients data

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australian Exposure Standards	Not available	Not available	Not available	Not available	Not available	Not available

### Emergency limits

Ingredient	TEEL-0	TEEL-1	TEEL-2	TEEL-3
not available	not available	not available	not available	not available




# PREMIUM TRUCK WASH

Page 6 of 14

## Safety Data Sheet

IDLH data		
Ingredient	Original IDLH	Revised IDLH
Not available	Not available	Not available

Exposure controls	
<b>Appropriate engineering controls</b>	<ul style="list-style-type: none"> <li>Use in a well ventilated area.</li> <li>General exhaust is adequate under normal operating conditions.</li> </ul>
<b>Personal protection</b>	 <ul style="list-style-type: none"> <li>Use good occupational work practice.</li> <li>The use of protective clothing and equipment depends upon the degree and nature of exposure.</li> </ul>
<b>Eye and face protection</b>	<ul style="list-style-type: none"> <li>Generally not required to handle diluted solutions of the product as per label directions.</li> <li>The use of safety glasses with side shield protection, goggles or face shield is recommended to handle concentrate in quantity, cleaning up spills, decanting, etc.</li> <li>Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.</li> </ul>
<b>Skin protection</b>	<ul style="list-style-type: none"> <li>See hand protection below</li> </ul>
<b>Hand protection</b>	<ul style="list-style-type: none"> <li>Generally not required to handle diluted solutions of the product as per label directions.</li> <li>Overalls, apron, work boots and elbow length gloves are recommended for handling the concentrated product (as per AS/NZS 2161, or as recommended by supplier) to handle in quantity, cleaning up spills, decanting, etc.</li> </ul>
<b>Body protection</b>	<ul style="list-style-type: none"> <li>Wear safety footwear.</li> <li>Work clothes.</li> </ul>
<b>Respiratory protection</b>	<ul style="list-style-type: none"> <li>Generally not required to handle diluted solutions of the product as per label directions.</li> <li>For confined spaces, cleaning up spills, etc, consider Type A Filter of sufficient capacity (AS/NZS 1716 &amp; 1715, EN143:2000, ANSI Z88 or national equivalent).</li> <li>Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-</li> </ul>



# PREMIUM TRUCK WASH

Page 7 of 14

## Safety Data Sheet

	piece and Class of filter the nature of the protection varies with Type of filter.
<b>Other protection</b>	<ul style="list-style-type: none"> <li>Ensure there is access to eye washes and safety showers.</li> </ul>
<b>Thermal hazards</b>	<ul style="list-style-type: none"> <li>None expected</li> </ul>

## Section 9 – Physical and Chemical Properties

Information on basic physical and chemical properties			
<b>Appearance</b>	blue coloured liquid		
<b>Physical state</b>	Viscous liquid	<b>Relative density (water=1)</b>	1.03– 1.05 @ 25 °C
<b>Odour</b>	faint	<b>Partition coefficient n-octanol/water</b>	Not available
<b>Odour threshold</b>	Not applicable	<b>Auto-ignition temperature (°C)</b>	Not flammable
<b>pH (as supplied)</b>	7.5 – 8.5	<b>Decomposition temperature</b>	Not available
<b>Melting Point / Freezing Point (°C)</b>	Not available	<b>Viscosity (cSt)</b>	Not available
<b>Initial boiling point and boiling range (°C)</b>	Not available	<b>Molecular weight (g/mol)</b>	Not available
<b>Flash point (°C)</b>	Not flammable	<b>Taste</b>	Not available
<b>Evaporation rate</b>	Not available	<b>Explosive properties</b>	none
<b>Flammability</b>	Not flammable	<b>Oxidising properties</b>	Not available
<b>Upper Explosive Limit (%)</b>	none	<b>Surface Tension (dyn/cm or mN/m)</b>	Not available
<b>Lower Explosive Limit (%)</b>	none	<b>Volatile Component (%vol)</b>	Approx. 80-85% v/v
<b>Vapour pressure (kPa)</b>	Not available	<b>Gas group</b>	Not applicable
<b>Solubility in water (g/L)</b>	Miscible in all proportions	<b>pH as a solution (1%)</b>	7.5 – 8.5
<b>Vapour density (Air=1)</b>	Not determined	<b>Volatile organic compounds (VOC)</b>	0%

## Section 10 – Stability and Reactivity

<b>Reactivity</b>	Stable at normal temperatures and pressure.
<b>Chemical stability</b>	Stable at normal temperatures and pressure.
<b>Possibility of hazardous reactions</b>	Not expected.



# PREMIUM TRUCK WASH

Page 8 of 14

## Safety Data Sheet

<b>Conditions to avoid</b>	Avoid contact with heat or heat sources.
<b>Incompatible materials</b>	Reducing agents, oxidizing agents.
<b>Hazardous decomposition products</b>	Product can decompose on combustion to form Carbon Monoxide, Carbon Dioxide, and other possibly toxic gases and vapours.

## Section 11 – Toxicological Information

Information on toxicological effects	
<b>Inhaled</b>	No vapour or mist generally associated with liquid form of the product – water based detergent liquid.
<b>Ingestion</b>	This product may cause irritation of the mouth, throat, oesophagus and stomach, nausea and vomiting.
<b>Skin contact</b>	Concentrated product may cause skin irritation. Prolonged contact with concentrated solutions may be irritating. Properly diluted wash solutions not expected to be irritating.
<b>Eyes</b>	This product may cause severe eye irritation, watering, redness.
<b>Chronic</b>	Prolonged and repeated skin contact with diluted solutions may induce dermatitis.

Individual constituents			
PREMIUM (as sold)			
<b>TOXICITY</b>	Not toxic, based on ingredients. Oral LD50 (calculated) : > 5,000 mg/kg	<b>IRRITATION</b>	Causes serious eye irritation, based on ingredients.

Cocamide monoethanolamide			
<b>Acute Toxicity</b>	LD50 : > 3,000 mg/kg - Rat , male and female Method: OECD Test Guideline 401 Acute dermal toxicity LD50 : > 2,000 mg/kg - Rabbit , male and female The substance or mixture has no acute dermal toxicity	<b>Carcinogenicity</b>	NO
<b>Skin Irritation/Corrosion</b>	Skin Corrosion/Irritation Category 2 H315: Causes skin irritation	<b>Reproductivity</b>	NO
<b>Serious Eye Damage/Irritation</b>	Serious Eye Damage/Eye Irritation Category 2/2A H319: Causes serious eye irritation	<b>STOT – Single Exposure</b>	NO
<b>Respiratory or Skin sensitivity</b>	NO	<b>STOT – Repeated Exposure</b>	NO





# PREMIUM TRUCK WASH

Page 9 of 14

## Safety Data Sheet

<b>Mutagenicity</b>	NO	<b>Aspiration Hazard</b>	NO
---------------------	----	--------------------------	----

Disodium metasilicate 100%			
<b>Acute Toxicity</b>	Material will cause chemical burns. Oral LD50 (rat): 1152-1349 mg/kg bw Dust is severely irritant to the respiratory tract. Inhalation LC50 (rat) > 2,06 g/m3	<b>Carcinogenicity</b>	NO
<b>Skin Irritation/Corrosion</b>	Skin: Material will cause chemical burns. Dermal LD50 (rat) > 5000 mg/kg bw.	<b>Reproductivity</b>	Effects on fertility: NOAEL (rat) > 159 mg/kg bw/d. Developmental toxicity: NOAEL (mouse) > 200 mg/kg bw/d.
<b>Serious Eye Damage/Irritation</b>	YES Eye: Material will cause chemical burns. May cause permanent damage if eye is not immediately irrigated.	<b>STOT – Single Exposure</b>	Irritating to respiratory system.
<b>Respiratory or Skin sensitivity</b>	Not sensitising (LLNA).	<b>STOT – Repeated Exposure</b>	NOAEL oral (rat): 227 mg/kg bw/d NOAEL oral (mouse): 260 mg/kg bw/d.
<b>Mutagenicity</b>	No evidence of genotoxicity. In vitro/in vivo negative.	<b>Aspiration Hazard</b>	NO

TEA dodecylbenzenesulphonate			
<b>Acute Toxicity</b>	438 mg/kg oral-rat LD50; 1330 mg/kg oral-mouse LD50; 105 mg/kg intravenous-mouse LD50; 3040 mg/kg/30 day(s) continuous oral-rat TDLo; 5 gm/kg/30 day(s) intermittent oral-mouse TDLo.	<b>Carcinogenicity</b>	Not listed as a carcinogen NTP, IARC, OSHA, EPA.
<b>Skin Irritation/Corrosion</b>	20 mg/24 hour(s) skin-rabbit moderate; 250 ug/24 hour(s) eyes-rabbit severe; 1 percent eyes-rabbit severe.	<b>Reproductivity</b>	No data available
<b>Serious Eye Damage/Irritation</b>	EYE IRRITATION (rabbit): Severe eye irritant	<b>STOT – Single Exposure</b>	No data available
<b>Respiratory or Skin sensitivity</b>	No data available	<b>STOT – Repeated Exposure</b>	No data available
<b>Mutagenicity</b>	No data available	<b>Aspiration Hazard</b>	No data available



# PREMIUM TRUCK WASH

Page 10 of 14

## Safety Data Sheet

### Section 12 – Ecological Information

#### Aqua-Toxicity

<b>PREMIUM (as sold)</b>	Acute Aquatic Toxicity (Calculated) LC50: 50 - 70 mg/L. Harmful to aquatic organisms. Acute Aquatic Toxicity Category 3.
<b>PREMIUM (at use dilution 1:100 rinse)</b>	Acute Aquatic Toxicity (Calculated) LC50: 5,000 – 7,000 mg/L. Acute Aquatic Toxicity NOT HAZARDOUS Not harmful to aquatic life. LC50 > 100mg/L.

#### Ingredients:

Triethanolamine dodecylbenzene sulphonate	LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h
Cocamide monoethanolamide	LC50 - 96 h : > 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test. EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202. ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublished reports Harmful to fish with long lasting effects.
Disodium metasilicate	semi-static test LC50 - Danio rerio (zebra fish) - 210 mg/l - 96 h (ISO 7346/1) The following data is reported for sodium silicates on a 100% solids basis: A 96 hour median tolerance for fish (Gambusia affinis) of 2320 ppm; a 96 hour median tolerance for water fleas (Daphnia magna) of 247 ppm; a 96 hour median tolerance for snail eggs (Lymnea) of 632 ppm; and a 96 hour median tolerance for Amphipoda of 160 ppm. Physical/Chemical: Sinks and dissolves in water.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
Triethanolamine dodecylbenzene sulphonate	Readily biodegradable - according to Australian Standard AS4351.	Not Available
Cocamide monoethanolamide	Readily biodegradable. According to the data on the components. The	Not available



# PREMIUM TRUCK WASH

Page 11 of 14

## Safety Data Sheet

	product is considered to be rapidly degradable in the environment	
Disodium metasilicate	No information available on persistence/degradability for this product	Not Available

Bioaccumulative potential	
Ingredient	Bioaccumulation
Triethanolamine	No bioaccumulation is expected.
dodecylbenzene sulphonate	
Cocamide monoethanolamide	Not available
Disodium metasilicate	No information available on bioaccumulation for this product.

Mobility in soil	
Ingredient	Mobility
Cocamide monoethanolamide	<b>Not available</b>
Disodium metasilicate	No information available on mobility for this product. Soluble in water.
Triethanolamine	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
dodecylbenzene sulphonate	

## Section 13 – Disposal considerations

Waste treatment methods	
<b>Product and Packaging Disposal</b>	Recycle wherever possible or consult manufacturer for recycling options. Consult state land waste authority for disposal. Bury or incinerate residue at the approved site. Recycle containers if possible, or dispose of in an authorised landfill.

## Section 14 – Transport Information

Labels Required	
<b>Transport pictogram</b>	None Allocated
<b>Marine Pollutant</b>	None Allocated
<b>HAZCHEM</b>	None Allocated

Land Transport (ADG)	
<b>UN Number</b>	None Allocated
<b>Packing Group</b>	None Allocated



# PREMIUM TRUCK WASH

Page 12 of 14

## Safety Data Sheet

<b>UN Proper shipping name or Technical name</b>	None Allocated
<b>Environmental hazard</b>	No relevant data
<b>Transport hazard class(es)</b>	None Allocated
<b>Special Precautions for user</b>	None Allocated None Allocated
<b>Additional information</b>	Not Available

## Section 15 – Regulatory Information

Health, safety and environment regulations	
<b>Poisons Schedule</b>	Not scheduled

## Section 16 – Other Information

<b>Issue Date</b>	13 <sup>th</sup> June 2016
<b>Version Number</b>	3.0
<b>Abbreviations and acronyms</b>	<ul style="list-style-type: none"> <li>• ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.</li> <li>• AICS: Australian Inventory of Chemical Substances.</li> <li>• CAS Number: Chemical Abstracts Service Registry Number.</li> <li>• GHS: Globally Harmonized System of Classification and Labelling of Chemicals</li> <li>• HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.</li> <li>• HSIS: Hazardous Substances Information System</li> <li>• IARC: International Agency for Research on Cancer.</li> <li>• NOHSC: National Occupational Health and Safety Commission.</li> <li>• NTP: National Toxicology Program (USA).</li> <li>• SDS: Safety Data Sheet</li> <li>• STEL: Short Term Exposure Limit.</li> <li>• SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.</li> <li>• TWA: Time Weighted Average.</li> <li>• UN Number: United Nations Number.</li> </ul>
<b>Literature references</b>	<ul style="list-style-type: none"> <li>• Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (December 2011 – Safe Work Australia)</li> <li>• GHS Hazardous Chemical Information List (September 2014 – Safe Work Australia)</li> </ul>



# PREMIUM TRUCK WASH

Page 13 of 14

## Safety Data Sheet

	<ul style="list-style-type: none"> <li>• Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. April 2012. Safe Work Australia.</li> <li>• Global Harmonized System of Classification and Labelling of Chemicals (GHS). Fifth revised edition.</li> <li>• “Australian Exposure Standards”</li> <li>• List of Designated Hazardous Substances [NOHSC:10005(1999)]</li> <li>• Australian Code For The Transport Of Dangerous Goods By Road And Rail – 7th Edition.</li> <li>• Standard for the Uniform Scheduling of Medicines and Poisons 2015.</li> <li>• Material Safety Data Sheets – individual raw materials – Suppliers.</li> <li>• Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]</li> <li>• HSIS – Hazardous Substance Information System – National Worksafe Data Base.</li> <li>• LABELLING OF WORKPLACE HAZARDOUS CHEMICALS, Code of Practice, DEC 2011</li> <li>• IMPLEMENTATION OF THE GLOBALLY HARMONISED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) APRIL 2012</li> </ul>
<p><b>Risk assessments</b></p>	<p>This SDS is a tool to communicate hazards which can assist you in creating relevant risk assessments for your workplace. There are many variables in determining whether a particular hazard is a risk in your workplace. Keep in mind this may be influenced by such things as the amount used, frequency of use, engineering controls, effectiveness of safety training and many more considerations.</p>
<p><b>Disclaimer</b></p>	<p>Safety Data Sheets are updated frequently. Please ensure that you have a current copy. This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact XO2 Pty Ltd. Our responsibility for products sold are subject to our standard terms and conditions. Where health or safety data given discloses a risk to the user or environment, it is the responsibility of the Purchaser to pass on that information to employees or those who may be using the product, ensuring that adequate safety procedures are used including good industrial hygiene.</p>
<p><b>Copyright</b></p>	<p>This document is copyright.</p>
<p><b>End of SDS</b></p>	



# PREMIUM TRUCK WASH

Page 14 of 14

## Safety Data Sheet

Document Revision History		
Revision Version #	Date	Reason for revision
Draft		GHS format
2.0	30.05.2016	Review by Tuwai Specialties. <a href="mailto:tuwai.wt@bigpond.com">tuwai.wt@bigpond.com</a>
3.0	13.06.2016	Reformulation