

Page 1 of 12

Safety Data Sheet

Section 1 – Identification

Product Identifier				
Product name	MAGIC DUCO			
Chemical name	Not Applicable			
Synonyms	Product code:UBMAGICDUCO			
Proper shipping name	Not Applicable			
Chemical formula	Not Applicable			
Other means of identification	Not Applicable			
CAS number	Not Applicable			
Recommended use of the chem	ical and restrictions on use			
Relevant identified uses	Auto wash n wax liquid detergent.			
Details of the manufacturer or importer				
Registered company name	ECOCLEAN UTILITY AGENCIES PTY LTD			
Address	26 Notar Drive, Ormeau, Queensland, Australia, 4220			
Telephone	07 5549 3666			
Website	www.ecocleanavantichem.com.au			
Emergency phone number	Poisons Information Centre: Phone 13 11 26			
Emergency Telephone Number				
Association / Organisation	Poisons Information Centre			
Emergency telephone number	13 11 26			
Other emergency telephone numbers	In an emergency telephone 000, for fire, police and ambulance.			

Section 2 – Hazard(s) Identification

Classification of the substance or mixture				
Poisons Schedule	Not scheduled			
GHS Classification	Eye Irritation Category 2A			
Label elements				
GHS label pictograms				
Signal word	WARNING			
'Hazard statement(s)				



Page 2 of 12

Safety Data Sheet

H319	Causes serious eye irritation					
Precautionary statement(s): Pre	vention					
P264	Wash skin thoroughly after handling.					
P280	Wear eye protection/face protection.					
Precautionary statement(s): Res	ponse					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P337 + P313	If eye irritation persists: Get medical advice/attention.					
Precautionary statement(s): Sto	rage					
	None allocated					
Precautionary statement(s): Dis	posal					
	None allocated					
Note						
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:3 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.					

Section 3 – Composition and Information on Ingredients

In	gredient	CAS Name	Proportion				
	dodecylbenzene Ilphonate	25155-30-0	< 10% w/w				
Sodium la	uryl ether sulfate	68585-34-2	< 10% w/w				
Cocamide r	nonoethanolamide	68140-00-1 <10% w/w					
0	determined to be -hazardous	Various	<10% w/w				
	Water	7732-18-5 >60% w/w					
NOTE:	concentrations as found the criteria of a hazard Substances", or have HARMONIZED SYSTEM	ts determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off tions as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet ia of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous es", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY IZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ts may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes Iditive effects.					

Section 4 – First Aid Measures

Description of necessary first aid measures						
Eye Contact	If this product comes in contact with eyes:					
	Rinse cautiously with water for several minutes. Remove contact lenses,					



Page 3 of 12

Safety Data Sheet

	if present and easy to do. Continue rinsing.					
	 If symptoms persist, call a POISON CENTER or doctor/physician. 					
Skin contact	If skin contact occurs:					
	 Remove / take off immediately all contaminated clothing 					
	Rinse skin with water/shower					
	Wash contaminated clothing before reuse					
Inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing 					
	• If respiratory symptoms: Immediately call POISON CENTER or doctor.					
	Treat symptomatically.					
Ingestion	Rinse mouth.					
	Do NOT induce vomiting.					
	Call a POISON CENTER or doctor/physician.					
Symptoms caused by exposure						
	Causes serious eye irritation.					
Medical attention and special tr	eatment					
	Treat symptomatically					

Section 5 – Fire Fighting Measures

Suitable extinguishing equipment / media				
	 Use an extinguishing media suitable for surrounding fires. Water spray or fog. Foam. Dry Chemical Powder BCF (where allowed) Carbon dioxide 			
Special hazards arising from the	chemical			
Fire incompatibility	No known incompatibility.			
Special protective equipment ar	d precautions for fire fighters			
Fire Fighting	 Alert Fire Brigade and tell them the location and the nature of the hazard. Wear full body protective clothing with breathing apparatus. Prevent spillage from entering drains or watercourse. Keep away from hot containers. Cool hot containers with water spray. 			
Fire/Explosion Hazard	 Non-combustible Not considered to be a considerable fire risk. Containers may explode on heating. May emit acid smoke. May emit corrosive fumes. Decomposition may product toxic fumes of decomposition. 			



Page 4 of 12

Safety Data Sheet

Section 6 – Accidental Release Measures

Personal precautions, protective	equipment and emergency procedures				
Minor spills	 Clean up spills immediately. Avoid contact with skin and eyes. Use Personal Protective Equipment. Contain and absorb spill with vermiculite or other suitable material. Sweep or wipe up. Place in a suitable container for disposal. 				
Major spills	 Clear area of personnel. Use Personal Protective Equipment. Prevent spill from entering drains or watercourse. If contamination occurs contact emergency services. Contain and absorb spill with vermiculite or other suitable material. Label collected material for disposal. Decontaminate if necessary (see section 13). Launder and clean all protective equipment prior to being re-used. 				
Environmental precautions	 Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterway using sand, earth or 				
	 other appropriate barriers. DO NOT DISCHARGE BULK QUANTITIES INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Inform local authorities if this occurs. 				
Methods and materials for cont	ainment and cleaning up				
	Personal protective equipment advice is contained in Section 8 of the SDS				

Section 7 – Handling and Storage

Precautions for safe handling	
Safe handling	 Wear prescribed protective clothing. Do NOT eat, drink or smoke when handling. Wash hands after use. Keep containers closed tightly when not in use. Store in accordance to manufacturer's instructions.
Other information	Store in original containers.Store in a cool, dry, well ventilated area out of direct sunlight.
Conditions for safe storage, inclu	iding any incompatibilities
Suitable container	 Not to be transported in unlined metal drums. Lined metal can, lined metal pail/can. Plastic pail. Polyliner drum.



Page 5 of 12

Safety Data Sheet

	Packaging as recommended by manufacturer.
Storage incompatibility	No known incompatibilities.

Section 8 – Exposure controls and personal protection

Control parame	eters										
Occupational I	Exposure Limits (OEL)	See Ingredients Data and Emergency Limits below.									
Ingredients dat	а										
Source	Ingredient	Material name		TWA		STEL		Peak		Notes	
Australian Exposure	Not available	Not available		Not available Not av		Not ava	ilable	Not availabl	available Not availa		
Standards											
Emergency limi	ts										
Ingredient	TEEL-0		TEEL-1		TE	EL-2		TEEL-3			
not available	not available	9	not ava	ilable	no	t available	9	not available			
IDLH data											
Ingredient		Oı	Original IDLH Rev				Revis	vised IDLH			
Not available	No	ot availat	available Not			Not a	available				
Exposure contro	ols										
Appropria	ate engineering	•	Use in a well ventilated area.								
	controls	General exhaust is adequate under normal operating conditions.									
Pers	Use good occupational work practice.										
	The use of protective clothing and equipment depends upon the										
	degree and nature of exposure.										
Eye and	face protection	• Generally not required to handle diluted solutions of the product as per label directions.									
		 The use of safety glasses with side shield protection, goggles or face shield is recommended to handle concentrate in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them. 									



Page 6 of 12

Safety Data Sheet

Skin protection	See hand protection below
Hand protection	 Generally not required to handle diluted solutions of the product as per label directions. Overalls, apron, work boots and elbow length gloves are recommended for handling the concentrated product (as per AS/NZS 2161, or as recommended by supplier) to handle in quantity, cleaning up spills, decanting, etc.
Body protection	Wear safety footwear.Work clothes.
Respiratory protection	 Generally not required to handle diluted solutions of the product as per label directions. For confined spaces, cleaning up spills, etc, consider Type A Filter of sufficient capacity (AS/NZS 1716 & 1715, EN143:2000, ANSI Z88 or national equivalent). Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter the nature of the protection varies with Type of filter.
Other protection	Ensure there is access to eye wash station.
Thermal hazards	None expected

Section 9 – Physical and Chemical Properties

Information on basic physical and chemical properties			
Appearance	blue coloured liquid	blue coloured liquid	
Physical state	Viscous liquid	Relative density (water=1)	1.03– 1.05 @ 25 °C
Odour	pine	Partition coefficient n- octanol/water	Not available
Odour threshold	Not applicable	Auto-ignition temperature (°C)	Not flammable
pH (as supplied)	8.0 – 9.5	Decomposition temperature	Not available
Melting Point / Freezing Point (°C)	Not available	Viscosity (cSt)	Not available
Initial boiling point and boiling range (°C)	Not available	Molecular weight (g/mol)	Not available
Flash point (°C)	Not flammable	Taste	Not available
Evaporation rate	Not available	Explosive properties	none
Flammability	Not flammable	Oxidising properties	Not available
Upper Explosive Limit	none	Surface Tension	Not available



Page 7 of 12

Safety Data Sheet

(%)		(dyn/cm or mN/m)	
Lower Explosive Limit (%)	none	Volatile Component (%vol)	Approx. 80-85% v/v
Vapour pressure (kPa)	Not available	Gas group	Not applicable
Solubility in water (g/L)	Miscible in all proportions	pH as a solution (1%)	7.5 – 8.5
Vapour density (Air=1)	Not determined	Volatile organic compounds (VOC)	0%

Section 10 – Stability and Reactivity

Reactivity	Stable at normal temperatures and pressure.
Chemical stability	Stable at normal temperatures and pressure.
Possibility of hazardous	Net superted
reactions	Not expected.
Conditions to avoid	Avoid contact with heat or heat sources.
Incompatible materials	Reducing agents, oxidizing agents.
Hazardous decomposition	Product can decompose on combustion to form Carbon Monoxide, Carbon
products	Dioxide, and other possibly toxic gases and vapours.

Section 11 – Toxicological Information

Information on toxicological effects			
Inha	led No vapour or mist generally based detergent liquid.	associated with liquid for	orm of the product – water
Ingest	ion This product may cause i stomach, nausea and vomiti		, throat, oesophagus and
Skin contact Concentrated product may cause skin irritation. Prolonged conta concentrated solutions may be irritating. Properly diluted wash soluti expected to be irritating.		Ŭ	
E	yes This product may cause eye	This product may cause eye irritation, watering, redness.	
Chro	nic Prolonged and repeated s dermatitis.	Prolonged and repeated skin contact with diluted solutions may induce dermatitis.	
Individual constituents			
MAGIC DUCO (as sold)	MAGIC DUCO (as sold)		
ΤΟΧΙΟΙΤΥ	Not toxic, based on ingredients. Oral LD50 (calculated) : > 5,000 mg/kg	IRRITATION	Causes eye irritation, based on ingredients.
Cocamide monoethanolamide		-	
Acute Toxicity	LD50 : > 3,000 mg/kg - Rat , male	Carcinogenicity	NO



Page 8 of 12

Safety Data Sheet

	and female Method: OECD Test		
	Guideline 401 Acute		
	dermal toxicity LD50 : > 2,000		
	mg/kg - Rabbit , male and female		
	The substance or mixture has no		
	acute dermal toxicity		
Skin Irritation/Corrosion	Skin Corrosion/Irritation Category	Reproductivity	NO
	2 H315: Causes		
	skin irritation		
Serious Eye	Serious Eye Damage/Eye Irritation	STOT – Single Exposure	NO
Damage/Irritation	Category 2/2A H319: Causes		
	serious eye irritation		
Respiratory or Skin	NO	STOT – Repeated	NO
sensitivity		Exposure	
Mutagencity	NO	Aspiration Hazard	NO
Sodium lauryl ether sulphate			
Acute Toxicity	Acute Oral Toxicity: LD50 >2000 -	Carcinogenicity	Not listed as a carcinogen
	<=5000 mg/kg , Rat		NTP, IARC, OSHA, EPA.
Skin Irritation/Corrosion	Acute Dermal Toxicity: LD50	Reproductivity	Does not impair fertility. Not
	>2000 - <=5000 mg/kg , Rat		a developmental toxicant.
	Irritating to skin.		
Serious Eye	Risk of serious damage to eyes.	STOT – Single Exposure	No data available
Damage/Irritation			
Respiratory or Skin	Not a skin sensitiser.	STOT – Repeated	No data available
sensitivity		Exposure	
Mutagencity	No data available	Aspiration Hazard	No data available
Sodium dodecylbenzenesulpho	onate	·	·
Acute Toxicity	438 mg/kg oral-rat LD50; 1330	Carcinogenicity	Not listed as a carcinogen
	mg/kg oral-mouse LD50; 105		NTP, IARC, OSHA, EPA.
	mg/kg intravenous-mouse LD50;		
	3040 mg/kg/30 day(s) continuous		
	oral-rat TDLo; 5 gm/kg/30 day(s)		
	intermittent oral-mouse TDLo.		
Skin Irritation/Corrosion	20 mg/24 hour(s) skin-rabbit	Reproductivity	No data available
	moderate; 250 ug/24 hour(s)		
	eyes-rabbit severe; 1 percent		
	eyes-rabbit severe.		
Serious Eye	EYE IRRITATION (rabbit): Severe	STOT – Single Exposure	No data available
Damage/Irritation	eye irritant		
Respiratory or Skin	No data available	STOT – Repeated	No data available
sensitivity		Exposure	
Mutagencity	No data available	Aspiration Hazard	No data available

Section 12 – Ecological Information

Aqua-Toxicity



Page 9 of 12

Safety Data Sheet

MAGIC DUCO (as sold) Acute Aquatic Toxicity (Calculated) LCS0: 30 - 40 mg/L. Harmful to aquatic organisms. Acute Aquatic Toxicity Category 3. Acute Aquatic Toxicity NOT HAZARDOUS Not harmful to aquatic life. LCS0 > 100mg/L. Acute Aquatic Toxicity NOT HAZARDOUS Not harmful to aquatic life. LCS0 > 100mg/L. Ingredients: Sodium auryl ether sulphate Fish: 96hr-LCS0 = 4.6 - 7.1mg/L - 96 h Sodium auryl ether sulphate LCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - 0.0 contynchus mykiss (rainbow trout) semi-static test. CSO + 3 h : 3 mg/l - Donorhynchus mykiss (rainbow trout) Semi-static test. ECSO - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 <th></th> <th>· · · · · · · · · · · · · · · · · · ·</th> <th></th>		· · · · · · · · · · · · · · · · · · ·	
AGIC DUC0 (at use dilution 1:100 rinse)Acute Aquatic Toxicity (Calculated) LC50: 3,000 – 4,000 mg/L. Acute Aquatic Toxicity NOT HAZARDOUS Not harmful to aquatic life. LC50 > 100mg/L.Ingredients:Sodium lauryl ether sulphateFish: 96hr-LC50 = 4.6 · 7.1mg/L · 96 hSodium dodecylbenzenesulphonateLC50 - 0ncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l · 96 hCocamide monoethanolamideLC50 - 0ncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l · 96 hCocamide monoethanolamideLC50 - 70 h · 3 mg/l · Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l · 96 hCocamide monoethanolamideLC50 - 00 h · > 3 mg/l · Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l · 96 hCocamide monoethanolamideLC50 - 00 h · > 3 mg/l · Oncorhynchus mykiss (rainbow trout) semi-static test. EC50 - 48 h · 3 mg/l · Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202. ErC50 - 72 h · 3.3 mg/l · Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l · 28 Days · Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guide	MAGIC DUCO (as sold)		
MAGIC DUCO (at use dilution 1100 rinse)Acute Aquatic Toxicity NOT HAZARDOUS Not harmful to aquatic life. LCS0 > 100mg/LIngredients:Sodium lauryl ether sulphateFish: 96hr-LCS0 = 4.6 - 7.1mg/L - 96 hSodium lauryl ether sulphateICS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 hCocamide monoethanolamideLCS0 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test. ECS0 - 48 h :> 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guidelline 202. Er CFS0 - 72 h : 3.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method:			· · · · · · · · · · · · · · · · · · ·
1:00 rinse)Note harmful to aquatic life. LCS0 > 100mg/L.Ingredients:Fish: 96hr-LCS0 = 4.6 - 7.1mg/L - 96 hSodium dauryl ether sulphateFish: 96hr-LCS0 = 4.6 - 7.1mg/L - 96 hSodium dodecylbenzenesulphonateLCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 hCocamide monoethanolamideLCS0 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 hCocamide monoethanolamideLCS0 - 96 h :> 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring; yes Method: OECD Test Guideline 202.ErCS0 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201.NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201.NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring; yes Method: OECD Test Guideline 204 Method: OECD Test Gu	MACIC DUCO (at use dilution		-
Ingredients: Sodium lauryl ether sulphate Fish: 96hr-LCS0 = 4.6 - 7.1mg/L - 96 h Sodium dodecylbenzenesulphonate LCS0 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - 96 h :> 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202. ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method:	-		
Sodium lauryl ether sulphate Fish: 96hr-LCS0 = 4.6 - 7.1mg/L - 96 h Sodium LCS0 - Oncorhynchus mykiss (rainbow trut) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LCS0 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test. ECS0 - 48 h :> 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring; yes Method: OECD Test Guideline 202. ErCS0 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 204 monitoring; yes Method: OECD Test Guideline 204 Method: OECD Test	· ·	Not harmful to aquatic life. LC50 > 100m	ıg/L.
Sodium LC50 - Oncorhynchus mykiss (rainbow trout) - 3.2 - 5.6 mg/l - 96 h Cocamide monoethanolamide LC50 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test. EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202. ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC : 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring; yes Method: OECD Test Guideline 204 Method	-		
dodecylbenzenesulphonateLC50 - Oncorhynchus mykiss (rainbow trut) - 3.2 - 5.6 mg/l - 96 hCocamide monoethanolamideLC50 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trut) semi-static test. EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202. Er C50 - 72 h : 3.9 mg/l - Scenedesmus subjicatus static test Method: OECD Test Guideline 201. NOEC - 72 h : 0.3 mg/l - Scenedesmus subjicatus static test Method: OECD Test Guideline 201. NOEC : 0.32 mg/l - 28 Days - Oncorhynthus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisher reports Harmful to fish with long lasting effects.Persistence and degradablity test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisher reports Harmful to fish with long lasting effects.Sodium dodecylbenzenesulphonatePersistence: Water/SoilPersistence: Analytical montoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisher erports Harmful to fish with long lasting effects.Sodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableElacecumulative potentialBioaccumulation is expected.Sodium cumulation is expected.Sodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Sodium cumulation is expected.Sodium dodecylbenzenesulphonate		Fish: $96nr-LC50 = 4.6 - 7.1mg/L - 96 h$	
Cocamide monoethanolamide LC50 - 96 h :> 3 mg/l - Oncorhynchus mykiss (rainbow trout) semi-static test. EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring; yes Method: OECD Test Guideline 202. ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring; yes Method: OECD Test Guideline 204 Me			
EC50 - 48 h : 3 mg/l - Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202. ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC - 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisks (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test G	· · ·		· · · ·
monitoring: yes Method: OECD Test Guideline 202. ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis- test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis- test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis- test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis- test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis- test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis- test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 Method:	Cocamide monoethanolamide	U . ,	
ErC50 - 72 h : 3.9 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis-bet reports Harmful to fish with long lasting effects.Persistence and degradability IngredientPersistence: Water/Soil Australian Standard AS4351.Persistence: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulation is expected.Sodium dodecylbenzenesulphonateBioaccumulation is expected.Sodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Sodium lauryl ether sulphateGuideline 201 (Sodium dodecylbenzenesulphonateNot bioaccumulate significantly.			
Guideline 201 NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhyn-tus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisher reports Harmful to fish with long lasting effects.Persistence and degradability IngredientPersistence: Water/Soil Australian Standard AS4351.Persistance: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulation is expected.Not availableSodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Not availableSodium dodecylbenzenesulphonateNot availableNot availableBioaccumulation is expected.Not availableSodiumSodium dodecylbenzenesulphonateNo bioaccumulate significantly.Not available			
NOEC - 72 h : 0.3 mg/l - Scenedesmus subspicatus static test Method: OECD Test Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhyn-bus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: UECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis-but reports Harmful to fish with long lasting effects.Persistence and degradabilityPersistence: Water/SoilPersistance: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBoaccumulative potentiatBioaccumulation is expected.Jone availableSodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Cocamide monoethanolamideGoium lauryl ether sulphateDoes not bioaccumulate significantly.Jone availableCocamide monoethanolamideDoes not bioaccumulate significantly.Jone availableSodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Jone availab		-	ubspicatus static test Method: OECD Test
Guideline 201. NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublishur reports Harmful to fish with long lasting effects.Persistence and degradabilityPersistence: Water/SoilPersistance: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to Australian Standard AS4351.Not AvailableCocamide monoethanolamideReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentiatBioaccumulation is expected.Not availableSodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNo bioaccumulate significantly.Sodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNo bioaccumulate significantly.Sodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNo bioaccumulate significantly.Sodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNot availableSodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNot availableSodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNot availableSodium Loure sciencificantly.Sodium dodecylbenzenesulphonateNot availableSodium Loure sciencificantly.Sodium		Guideline 201	
NOEC: 0.32 mg/l - 28 Days - Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublisher reports Harmful to fish with long lasting effects.Persistence and degradabilityPersistence: Water/SoilPersistance: AirIngredientPersistence: Water/SoilPersistance: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationNot availableSodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Sodium lauryl ether sulphateSodium lauryl ether sulphateNot availableNot availableSodium dodecylbenzenesulphonateBioaccumulation is expected.SodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium dodecylbenzenesulphonateNot availableSodiumSodium lauryl ether sulphateNot available<		NOEC - 72 h : 0.3 mg/l - Scenedesmus su	ubspicatus static test Method: OECD Test
test Analytical monitoring: yes Method: OECD Test Guideline 204 Method: OECD Test Guideline 204 By analogy Unpublis-ed reports Harmful to fish with long lasting effects.Persistence and degradabilityIngredientPersistence: Water/SoilPersistance: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulationBioaccumulationSodium dodecylbenzenesulphonateBioaccumulation is expected.Bioaccumulation dodecylbenzenesulphonateDoes not bioaccumulate significantly.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.		Guideline 201.	
Test Guideline 204 By analogy Unpublished reports Harmful to fish with long lasting effects.Persistence and degradabilityIngredientPersistence: Water/SoilPersistance: AirSodium dodecylbenzenesulphonateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationBioaccumulation is expected.Sodium dodecylbenzenesulphonateNo bioaccumulate significantly.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.		NOEC: 0.32 mg/l - 28 Days - Oncorhynch	hus mykiss (rainbow trout) flow-through
lasting effects.Persistence and degradabilityIngredientPersistence: Water/SoilPersistance: AirSodiumReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialIngredientBioaccumulationSodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available		test Analytical monitoring: yes Method:	OECD Test Guideline 204 Method: OECD
Persistence and degradabilityPersistence: Water/SoilPersistance: AirIngredientPersistence: Water/SoilPersistance: AirSodiumReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradableNot AvailableReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationNot Bioaccumulation is expected.Sodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Not available		Test Guideline 204 By analogy Unpublished reports Harmful to fish with long	
IngredientPersistence: Water/SoilPersistance: AirSodiumReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradableNot AvailableReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulation is expected.Not availableSodium dodecylbenzenesulphonateNo bioaccumulate significantly.NoSodium lauryl ether sulphateDoes not bioaccumulate significantly.Not available		lasting effects.	
SodiumReadily biodegradable - according to Australian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradableNot AvailableReadily biodegradable.According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationNotSodium dodecylbenzenesulphonateBioaccumulation is expected.Sodium dodecylbenzenesulphonateSodium lauryl ether sulphateDoes not bioaccumulate significantly.Not available	Persistence and degradability		
dodecylbenzenesulphonateAustralian Standard AS4351.Not AvailableSodium lauryl ether sulphateReadily biodegradableNot AvailableReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationSodium dodecylbenzenesulphonateBioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Ko availableNot available	Ingredient	Persistence: Water/Soil	Persistance: Air
dodecylbenzenesulphonateAustralian Standard AS4351.Sodium lauryl ether sulphateReadily biodegradableNot AvailableReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationSodium dodecylbenzenesulphonateSodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available	Sodium	Readily biodegradable - according to	
Cocamide monoethanolamideReadily biodegradable. According to the data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationNot availableIngredientBioaccumulationSodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available	dodecylbenzenesulphonate	Australian Standard AS4351.	Not Available
Cocamide monoethanolamidethe data on the components. The product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationNot availableSodium dodecylbenzenesulphonateBioaccumulation is expected.Sodium cumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available	Sodium lauryl ether sulphate	Readily biodegradable	Not Available
Cocamide monoethanolamide product is considered to be rapidly degradable in the environmentNot availableBioaccumulative potentialBioaccumulationIngredient dodecylbenzenesulphonateBioaccumulation is expected.Sodium dodecylbenzenesulphonateDoes not bioaccumulate significantly.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available		Readily biodegradable. According to	
product is considered to be rapidly degradable in the environmentBioaccumulative potentialBioaccumulative potentialIngredientBioaccumulationSodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available		the data on the components. The	
Bioaccumulative potential Ingredient Bioaccumulation Sodium No bioaccumulation is expected. Sodium lauryl ether sulphate Does not bioaccumulate significantly. Cocamide monoethanolamide Not available	Cocamide monoethanolamide	product is considered to be rapidly	Not available
IngredientBioaccumulationSodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available		degradable in the environment	
Sodium dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available	Bioaccumulative potential		
dodecylbenzenesulphonateNo bioaccumulation is expected.Sodium lauryl ether sulphateDoes not bioaccumulate significantly.Cocamide monoethanolamideNot available	Ingredient	Bioaccumulation	
Cocamide monoethanolamide Not available		No bioaccumulation is expected.	
	Sodium lauryl ether sulphate	Does not bioaccumulate significantly.	
Mobility in soil	Cocamide monoethanolamide	Not available	



Page 10 of 12

Safety Data Sheet

Ingredient	Mobility
Sodium lauryl ether sulphate	Dissolves in water. If product enters soil, it will be highly mobile and may contaminate groundwater.
Sodium dodecylbenzenesulphonate	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Cocamide monoethanolamide	Not available

Section 13 – Disposal considerations

Waste treatment methods	
Product and Packaging	Recycle wherever possible or consult manufacturer for recycling options. Consult
Disposal	state land waste authority for disposal. Bury or incinerate residue at the approved site. Recycle containers if possible, or dispose of in an authorised landfill.

Section 14 – Transport Information

Labels Required	
Transport pictogram	None Allocated
Marine Pollutant	None Allocated
HAZCHEM	None Allocated
Land Transport (ADG)	
UN Number	None Allocated
Packing Group	None Allocated
UN Proper shipping name or	None Allocated
Technical name	
Environmental hazard	No relevant data
Transport hazard class(es)	None Allocated
Special Precautions for user	None Allocated
-	None Allocated
Additional information	Not Available

Section 15 – Regulatory Information

Health, safety and environment regulations	
Poisons Schedule	Not scheduled



Page 11 of 12

Safety Data Sheet

Section 16 – Other Information

Issue Date	17 [™] August 2016
Version Number	3.0
Abbreviations and acronyms	 ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail. AICS: Australian Inventory of Chemical Substances. CAS Number: Chemical Abstracts Service Registry Number. GHS: Globally Harmonized System of Classification and Labelling of Chemicals HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services. HSIS: Hazardous Substances Information System IARC: International Agency for Research on Cancer. NOHSC: National Occupational Health and Safety Commission. NTP: National Toxicology Program (USA). SDS: Safety Data Sheet STEL: Short Term Exposure Limit. SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons. TWA: Time Weighted Average. UN Number: United Nations Number.
Literature references	 ON Number: Onled Nations Number. Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia) GHS Hazardous Chemical Information List (Safe Work Australia) Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. Safe Work Australia. Global Harmonized System of Classification and Labelling of Chemicals "Australian Exposure Standards" List of Designated Hazardous Substances [NOHSC:10005(1999)] Australian Code For The Transport Of Dangerous Goods By Road And Rail Standard for the Uniform Scheduling of Medicines and Poisons Material Safety Data Sheets – individual raw materials – Suppliers. Approved Criteria for Classifying Hazardous Substances NOHSC:1008(1999)] Hazardous Substance Information System – National Worksafe Data Base. IMPLEMENTATION OF THE GLOBALLY HARMONISED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) APRIL 2012
Risk assessments	This SDS is a tool to communicate hazards which can assist you in creating relevant risk assessments for your workplace. There are many variables in determining whether a particular hazard is a risk in your workplace. Keep in mind



Page 12 of 12

Safety Data Sheet

	this may be influenced by such things as the amount used, frequency of use, engineering controls, effectiveness of safety training and many more considerations.
Disclaimer	Safety Data Sheets are updated frequently. Please ensure that you have a current copy. This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact XO2 Pty Ltd. Our responsibility for products sold are subject to our standard terms and conditions. Where health or safety data given discloses a risk to the user or environment, it is the responsibility of the Purchaser to pass on that information to employees or those who may be using the product, ensuring that adequate safety procedures are used including good industrial hygiene.
Copyright	This document is copyright.
End of SDS	

Document Revision History		
Revision Version #	Date	Reason for revision
Draft		GHS format
2.0	13.06.2016	Review by Tuwai Specialties. <u>tuwai.wt@bigpond.com</u>
3.0	17.08.16	Review to MAGIC DUCO formulation V2