



# SAFETY DATA SHEET

**Product Name:** TURBOCLEAN PLUS

**Date of Issue:** JAN 2017

**Page 1 of Total 7**

## SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

<b>Trade Name:</b>	<b>TURBOCLEAN PLUS</b>		
<b>SUPPLIER:</b>	ECOCLEAN UTILITY AGENCIES PTY LTD		
<b>ADDRESS:</b>	PO Box 6224 YATALA DC 4207		
<b>TELEPHONE:</b>	(07) 5549 3622	<b>FAX:</b>	(07) 5549 3666
<b>EMERGENCY PHONE:</b>	13 1126 in Australia	<b>ABN:</b>	72 135 037 160
<b>Substance:</b>	Powder	<b>Product Use:</b>	Cleaning powder
<b>Creation Date:</b>	Jan 2017	<b>Revision Date:</b>	Jan 2022

## SECTION 2 – HAZARDS IDENTIFICATION

### Classification of the substance or mixture

<b>Poisons Schedule</b>	S6 (ALKALINE SALTS)
<b>Dangerous Goods</b>	CLASS 8 CORROSIVE
<b>GHS Classification</b>	Skin Corrosion/Irritation category 1B Serious Eye Damage/Irritation Category 1 Specific Target Organ Toxicity 3 Acute Toxicity Category 4

### Label elements

<b>GHS label pictograms</b>	 
	GHS05                      GHS07
<b>Signal word</b>	<b>DANGER</b>

### Hazard statement(s)

<b>H314</b>	Causes severe skin burns and eye damage.
<b>H318</b>	Causes serious eye damage.
<b>H335</b>	May cause respiratory irritation.
<b>H302</b>	Harmful if swallowed

### Precautionary statement(s): General

<b>P101</b>	If medical advice is needed, have product container or label at hand.
<b>P102</b>	Keep out of reach of children.
<b>P103</b>	Read label before use.

### Precautionary statement(s): Prevention

<b>P260</b>	Do not breathe dusts or mists.
<b>P261</b>	Avoid breathing dust/mist/spray.
<b>P264</b>	Wash hands/skin thoroughly after handling.
<b>P270</b>	Do not eat, drink or smoke when using this product.
<b>P280</b>	Wear protective gloves/protective clothing/eye protection/face protection.
<b>P271</b>	Use only outdoors or in a well-ventilated area.

### Precautionary statement(s): Response

<b>P301 + P310</b>	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
<b>P330</b>	Rinse mouth.



# SAFETY DATA SHEET

**Product Name:** TURBOCLEAN PLUS

**Date of Issue:** JAN 2017

**Page 2 of Total 7**

<b>P303+P361+P353</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
<b>P363</b>	Wash contaminated clothing before reuse.
<b>P304+P340</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>P312</b>	Call a POISON CENTER or doctor/physician if you feel unwell.
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P310</b>	Immediately call a POISON CENTER or doctor/physician.
<b>P321</b>	Specific treatment (see First Aid Measures on Safety Data Sheet).
<b>Precautionary statement(s): Storage</b>	
<b>P405</b>	Store locked up.
<b>P403+P233</b>	Store in a well-ventilated place. Keep container tightly closed.
<b>Precautionary statement(s): Disposal</b>	
<b>P501</b>	Dispose of contents/ container in accordance with local regulations.
Note	
<b>IMPORTANT</b>	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:20 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.

## SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion:
Disodium metasilicate	6834-92-0	>60 % w/w
Sodium carbonate	497-19-18	<10% w/w
Ingredients determined to be non-hazardous	various	<10 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

## SECTION 4 – FIRST AID MEASURES

<b>Inhalation</b>	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
<b>Skin contact</b>	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
<b>Eye contact</b>	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek immediate medical advice (e.g. doctor).
<b>Advice to Doctor</b>	Treat symptomatically and supportively. Can cause corneal burns.
<b>Scheduled Poisons</b>	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
<b>First Aid Facilities</b>	Eyewash, safety shower and normal washroom facilities.



# SAFETY DATA SHEET

**Product Name:** TURBOCLEAN PLUS

**Date of Issue:** JAN 2017

**Page 3 of Total 7**

## SECTION 5 – FIRE FIGHTING MEASURES

<b>Fire and Explosion Hazards</b>	Non-flammable powder. However, on evaporation of the aqueous component, the residual material may burn.
<b>Extinguishing Media</b>	Use an extinguishing media suitable for surrounding fires. Use carbon dioxide (CO <sub>2</sub> ) fire extinguisher, water fog, foam or fine water spray.
<b>Fire Fighting</b>	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
<b>Flash Point</b>	None

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

<b>Emergency Procedures</b>	<p><b>HAZCHEM CODE : 2X</b></p> <p>2 = water fog – in the absence of fog, a fine spray may be used. X = No risk of violent explosion, Full protective clothing, CONTAIN.</p> <p>Shut off engine and electrical equipment and leave off. No smoking or naked lights within 50 metres. Move people from immediate area; keep upwind. Consider initial evacuation distance of 100 metres in all directions. Stop leak if safe to do so. Send messenger to notify fire brigade and police. Tell them location, material quantity, UN number and emergency contact. Indicate condition of vehicle and damage or injuries observed. Warn other traffic.</p> <p><b>Occupational Release</b></p> <p>Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water-courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If required, neutralize with citric acid. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.</p>
-----------------------------	---

## SECTION 7 – HANDLING AND STORAGE

<b>Handling</b>	Corrosive solid. Attacks skin and eyes. Causes burns. Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.
<b>Storage</b>	Corrosive solid. Store in a cool dry well-ventilated area. Store away from oxidising agents and acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Provide a catch-tank in a bunded area. Store in original packages as approved by manufacturer. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing. For information on the design of the storeroom, reference should be made to Australian Standard AS 3780 The storage and handling of corrosive substances. Ensure that storage conditions comply with applicable local and national regulations.

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION




# SAFETY DATA SHEET

**Product Name:** TURBOCLEAN PLUS

**Date of Issue:** JAN 2017

**Page 4 of Total 7**

<b>Exposure Limits</b>	National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: <b>Time-weighted Average (TWA):</b> None established for product. <b>Short Term Exposure Limit (STEL):</b> None established for product.
<b>Ventilation</b>	This substance is hazardous and should be used with a local exhaust ventilation system, drawing dust away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/dusts below the exposure standards, suitable respiratory protection must be worn.
<b>Personal Protective Equipment</b>	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
<b>Eye Protection</b> 	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b> 	Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
<b>Body Protection</b> 	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
<b>Respirator</b>	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Powder	<b>Colour</b>	White
<b>Odour</b>	characteristic odour	<b>Specific Gravity</b>	1.1 – 1.2 @ 25 °C
<b>Boiling Point</b>	Approximately 100 °C	<b>Freezing Point</b>	Approximately 0 °C
<b>Vapour Pressure</b>	Not available	<b>Vapour Density</b>	Not available
<b>Flash Point</b>	Not flammable	<b>Flammable Limits</b>	none
<b>Water Solubility</b>	Miscible in all proportions	<b>pH</b>	>12 @ 1%
<b>Volatile Organic Compounds (VOC)</b>	0 % v/v	<b>Per Cent Volatile</b>	Ca 5 % v/v
<b>Viscosity</b>	Not available	<b>Odour Threshold</b>	Not available

## SECTION 10 – STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable at normal temperatures and pressure.
<b>Conditions to Avoid</b>	Extremes of temperature and direct sunlight. Reacts vigorously with acids.
<b>Incompatibilities</b>	ACIDS: violent reaction can occur, yielding heat and pressure, which can burst an enclosed container.



# SAFETY DATA SHEET

**Product Name:** TURBOCLEAN PLUS

**Date of Issue:** JAN 2017

**Page 5 of Total 7**

<b>Hazardous Decomposition</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes.
--------------------------------	---

## SECTION 11 – TOXICOLOGICAL INFORMATION

<b>POTENTIAL HEALTH EFFECTS</b>	
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:	
<b>Inhalation</b>	Exposure to generated dusts of this product may cause nose and throat irritation.
<b>Skin contact</b>	Corrosive to skin - may cause skin burns, severe irritation. Corrosion will continue until removed. Severity depends on the concentration and duration of exposure. Burns are not immediately painful; onset of pain may be minutes to hours.
<b>Eye contact</b>	Corrosive to eyes; contact can cause corneal burns. Permanent eye damage, including loss of sight, may occur. High concentrations of vapours will cause irritation.
<b>Ingestion</b>	Swallowing can result in nausea, vomiting of blood and eroded tissue; chemical burns of the mouth, throat & abdomen; perforation of the gastrointestinal tract.
<b>Chronic exposure</b>	Prolonged and repeated skin contact with diluted solutions may induce eczematoid dermatitis.
<b>Toxicology Information</b>	ACUTE TOXICITY CAT 4 : Oral LD50 (calculated) : 1890 - 2450 mg/kg
<b>Carcinogen Status</b>	
<b>NOHSC</b>	No significant ingredient is classified as carcinogenic by NOHSC.
<b>NTP</b>	No significant ingredient is classified as carcinogenic by NTP.
<b>IARC</b>	No significant ingredient is classified as carcinogenic by IARC.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitizer.
<b>Skin Sensitisation</b>	Not expected to be a skin sensitizer.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-single exposure</b>	Specific Target Organ Toxicity 3- respiratory.
<b>STOT-repeated exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.

## SECTION 12 – ECOLOGICAL INFORMATION

<b>Eco-toxicity Product (as sold)</b>	Harmful to aquatic life. Acute Aquatic Toxicity Category 3 - (LC50 >10 mg/L but < 100mg/L). Acute Aquatic Toxicity (Calculated) LC50: 10 - 22 mg/L.
<b>Eco-toxicity Product (at use dilution 1:100 rinse)</b>	Not harmful to aquatic life. LC50 > 100mg/L. Acute Aquatic Toxicity (Calculated) LC50: 1000 - 2200 mg/L. Acute Aquatic Toxicity NOT HAZARDOUS
<b>Persistence and degradability</b>	Biodegradable, based on ingredients.
<b>Bio accumulative potential</b>	No bioaccumulation is expected.
<b>Mobility in soil</b>	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
<b>Other adverse effects</b>	Not available
<b>Environmental Protection</b>	Do not discharge this material into waterways.

## SECTION 13 – DISPOSAL CONSIDERATIONS



# SAFETY DATA SHEET

Product Name: **TURBOCLEAN PLUS**


Date of Issue: JAN 2017

Page 6 of Total 7

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

## SECTION 14 – TRANSPORT INFORMATION

### Labels Required

ADG	 UN 1759 CORROSIVE SOLID, N.O.S.
IMDG Marine Pollutant	No
HAZCHEM	2X
<b>Land Transport (ADG)</b>	
UN Number	1759
ADG Proper Shipping Name	CORROSIVE SOLID, N.O.S. (DISODIUM METASILICATE and SODIUM DICHLOROISOCYANURATE)
ADG Code Hazard Class	8
HAZCHEM Code	2X
Special Provisions	None allocated.
Packing Group	III
Packaging Method	None allocated.
IERG Number	37
Segregation	This material is classified as a Class 8 Corrosive Substances Dangerous Goods Class 8 Dangerous Goods are incompatible in a placard load with any of the following: - Class 1: Explosives - Division 4.3: Dangerous when wet Substances - Division 5.1: Oxidising substances - Division 5.2: Organic peroxides - Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids Class 7: Radioactive materials unless specifically exempted and are incompatible with food and food packaging in any quantity. Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong

## SECTION 15 – REGULATORY INFORMATION

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S6 (ALKALINE SALTS)
ADG Code	Class 8
AICS	All ingredients present on AICS.

## SECTION 16 – OTHER INFORMATION

Issue Date	12 <sup>th</sup> January 2017
Version Number	V 2.0 GHS Classification
Abbreviations and	<b>ADG Code:</b> Australian Code for the Transport of Dangerous Goods by Road and Rail. <b>AICS:</b> Australian Inventory of Chemical Substances.



# SAFETY DATA SHEET

**Product Name:** TURBOCLEAN PLUS

**Date of Issue:** JAN 2017

**Page 7 of Total 7**

<b>acronyms</b>	<p><b>CAS Number:</b> Chemical Abstracts Service Registry Number.</p> <p><b>GHS:</b> Globally Harmonized System of Classification and Labelling of Chemicals</p> <p><b>HAZCHEM:</b> An emergency action code of numbers and letters which gives information to emergency services.</p> <p><b>HSIS:</b> Hazardous Substances Information System</p> <p><b>IARC:</b> International Agency for Research on Cancer.</p> <p><b>NOHSC:</b> National Occupational Health and Safety Commission.</p> <p><b>NTP:</b> National Toxicology Program (USA).</p> <p><b>SDS:</b> Safety Data Sheet</p> <p><b>STEL:</b> Short Term Exposure Limit.</p> <p><b>SUSMP:</b> Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p><b>TWA:</b> Time Weighted Average.</p> <p><b>UN Number:</b> United Nations Number.</p>
<b>Literature references</b>	<p>Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice ( Safe Work Australia)</p> <p>GHS Hazardous Chemical Information List (Safe Work Australia)</p> <p>Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.</p> <p>Global Harmonized System of Classification and Labelling of Chemicals (GHS)</p> <p>“Australian Exposure Standards”. Safework Australia</p> <p>Australian Code For The Transport Of Dangerous Goods By Road And Rail</p> <p>Standard for the Uniform Scheduling of Medicines and Poisons</p> <p>Material Safety Data Sheets – individual raw materials – Suppliers</p> <p>HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.</p> <p>HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.</p>
<b>Disclaimer</b>	<p>This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.</p>

**End of SDS**