

Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 1 of Total 7

Trade Name:	ECONO SPINWASH		
SUPPLIER:	ECOCLEAN UTILITY AGENCI	ES PTY LTD	
ADDRESS:	PO Box 6224 YATALA DC 42	207	
TELEPHONE:	(07) 5549 3622	FAX:	(07) 5549 3666
EMERGENCY PHONE:	13 1126 in Australia	ABN:	72 135 037 160
Substance:	Powder	Product Use:	Cleaning powder
Creation Date:	Jan 2017	Revision Date:	Jan 2022

SECTION 2 – HAZARDS IDENTIFIC	ATION	
Classification of the substance or	mixture	
Poisons Schedule	S6 (ALKALINE SALTS)	
Dangerous Goods	CLASS 8 CORROSIVE	
GHS Classification	Skin Corrosion/Irritation category 1B	
	Serious Eye Damage/Irritation Category 1	
	Specific Target Organ Toxicity 3	
	Acute Toxicity Category 4	
Label elements		
GHS label pictograms	GHS05 GHS07	
Signal word	DANGER	
Hazard statement(s)		
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
H302	Harmful if swallowed	
Precautionary statement(s): Gen	eral	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	
Precautionary statement(s): Prev	ention	
P260	Do not breathe dusts or mists.	
P261	Avoid breathing dust/mist/spray.	
P264	Wash hands/skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P271	Use only outdoors or in a well-ventilated area.	
Precautionary statement(s): Resp	oonse	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P330	Rinse mouth.	



Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 2 of Total 7

P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatment (see First Aid Measures on Safety Data Sheet).
Precautionary statement(s): Stor	age
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
Precautionary statement(s): Disp	osal
P501	Dispose of contents/ container in accordance with local regulations.
Note	
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its
	concentrated form, as supplied. When diluted to 1:20 or greater they no longer apply.
	However, good hygiene and housekeeping practices should be adhered to.

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS		
Ingredients:	CAS Number:	Proportion:
Disodium metasilicate	6834-92-0	>60 % w/w
Sodium carbonate	497-19-18	<10% w/w
Ingredients determined to be non- hazardous	various	<10 % w/w

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

SECTION 4 – FIRST AID ME	ASURES
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated
	clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or
	redness persists.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove
	contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a
	doctor, or for at least 15 minutes. Seek immediate medical attention.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person.
	Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give
	further water to achieve effective dilution. Seek immediate medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically and supportively. Can cause corneal burns.
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand
	can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New
	Zealand 0800 764 766).
First Aid Facilities	Eyewash, safety shower and normal washroom facilities.



Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 3 of Total 7

SECTION 5 – FIRE FIGHTIN	G MEASURES
Fire and Explosion Hazards	Non-flammable powder. However, on evaporation of the aqueous component, the residual material may burn.
Extinguishing Media	Use an extinguishing media suitable for surrounding fires. Use carbon dioxide (CO2) fire extinguisher, water fog, foam or fine water spray.
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self- contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	None

#### SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	HAZCHEM CODE : 2X
	2 = water fog – in the absence of fog, a fine spray may be used.
	X = No risk of violent explosion, Full protective clothing, CONTAIN.
	Shut off engine and electrical equipment and leave off. No smoking or naked lights within 50
	metres. Move people from immediate area; keep upwind. Consider initial evacuation distance of
	100 metres in all directions. Stop leak if safe to do so. Send messenger to notify fire brigade and
	police. Tell them location, material quantity, UN number and emergency contact. Indicate
	condition of vehicle and damage or injuries observed. Warn other traffic.
	Occupational Release
	Minor spills do not normally need any special clean-up measures. In the event of a major spill,
	prevent spillage from entering drains or water-courses. Wear appropriate protective equipment
	as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip
	hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which
	then can be put into appropriately labelled drums for disposal by an approved agent according
	to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If
	required, neutralize with citric acid. If contamination of sewers or waterways has occurred
	advise the local emergency services. In the event of a large spillage notify the local environment
	protection authority or emergency services.

SECTION 7 – HANDLING AN	D STORAGE
Handling	Corrosive solid. Attacks skin and eyes. Causes burns. Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.
Storage	Corrosive solid. Store in a cool dry well-ventilated area. Store away from oxidising agents and acids. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Provide a catch-tank in a bunded area. Store in original packages as approved by manufacturer. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing. For information on the design of the storeroom, reference should be made to Australian Standard AS 3780 The storage and handling of corrosive substances. Ensure that storage conditions comply with applicable local and national regulations.

#### SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION



Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 4 of Total 7

Exposure Limits	<ul> <li>National Occupational Exposure Limits, as published by National Occupational Health &amp; Safety Commission:</li> <li>Time-weighted Average (TWA): None established for product.</li> <li>Short Term Exposure Limit (STEL): None established for product.</li> </ul>
Ventilation	This substance is hazardous and should be used with a local exhaust ventilation system, drawing dust away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/dusts below the exposure standards, suitable respiratory protection must be worn.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection	Safety glasses with full face shield should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
Respirator	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Powder	Colour	White
Odour	characteristic odour	Specific Gravity	1.1 – 1.2 @ 25 °C
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	none
Water Solubility	Miscible in all proportions	рН	>12 @ 1%
Volatile Organic	0 % v/v	Per Cent Volatile	Ca 5 % v/v
Compounds (VOC)	U 70 V/V		
Viscosity	Not available	Odour Threshold	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Conditions to Avoid	Extremes of temperature and direct sunlight. Reacts vigorously with acids.	
Incompatibilities	ACIDS: violent reaction can occur, yielding heat and pressure, which can burst an enclosed	
	container.	



Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 5 of Total 7

Hazardous
Decomposition

Thermal decomposition may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGIC	SECTION 11 – TOXICOLOGICAL INFORMATION	
POTENTIAL HEALTH EFFECTS		
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.		
Symptoms or effects that m	ay arise if the product is mishandled and overexposure occurs are:	
Inhalation	Exposure to generated dusts of this product may cause nose and throat irritation.	
Skin contact	Corrosive to skin - may cause skin burns, severe irritation. Corrosion will continue until removed.	
	Severity depends on the concentration and duration of exposure. Burns are not immediately	
	painful; onset of pain may be minutes to hours.	
Eye contact	Corrosive to eyes; contact can cause corneal burns. Permanent eye damage, including loss of	
	sight, may occur. High concentrations of vapours will cause irritation.	
Ingestion	Swallowing can result in nausea, vomiting of blood and eroded tissue; chemical burns of the	
	mouth, throat & abdomen; perforation of the gastrointestinal tract.	
Chronic exposure	Prolonged and repeated skin contact with diluted solutions may induce eczematoid dermatitis.	
<b>Toxicology Information</b>	ACUTE TOXICITY CAT 4 : Oral LD50 (calculated) : 1890 - 2450 mg/kg	
Carcinogen Status		
NOHSC	No significant ingredient is classified as carcinogenic by NOHSC.	
NTP	No significant ingredient is classified as carcinogenic by NTP.	
IARC	No significant ingredient is classified as carcinogenic by IARC.	
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitizer.	
Skin Sensitisation	Not expected to be a skin sensitizer.	
Germ cell mutagenicity	Not considered to be a mutagenic hazard.	
Reproductive Toxicity	Not considered to be toxic to reproduction.	
STOT-single exposure	Specific Target Organ Toxicity 3- respiratory.	
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.	
Aspiration Hazard	Not expected to be an aspiration hazard.	

SECTION 12 – ECOLOGICAL INFORMATION	
Eco-toxicity	Harmful to aquatic life.
Product (as sold)	Acute Aquatic Toxicity Category 3 - (LC50 >10 mg/L but < 100mg/L).
	Acute Aquatic Toxicity (Calculated) LC50: 10 - 22 mg/L.
Eco-toxicity	Not harmful to aquatic life. LC50 > 100mg/L.
Product (at use dilution	Acute Aquatic Toxicity (Calculated) LC50: 1000 - 2200 mg/L.
1:100 rinse)	Acute Aquatic Toxicity NOT HAZARDOUS
Persistence and	Biodegradable, based on ingredients.
degradability	
Bio accumulative	No bioaccumulation is expected.
potential	
Mobility in soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition
	to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.



Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 6 of Total 7

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION		
Labels Required	Labels Required	
ADG	UN 1759 CORROSIVE SOLID, N.O.S.	
IMDG Marine Pollutant	No	
HAZCHEM	2X	
Land Transport (ADG)		
UN Number	1759	
ADG Proper Shipping Name	CORROSIVE SOLID, N.O.S. (DISODIUM METASILICATE and SODIUM DICHLOROISOCYANURATE)	
ADG Code Hazard Class	8	
HAZCHEM Code	2X	
Special Provisions	None allocated.	
Packing Group		
Packaging Method	None allocated.	
IERG Number	37	
Segregation	<ul> <li>This material is classified as a Class 8 Corrosive Substances Dangerous Goods</li> <li>Class 8 Dangerous Goods are incompatible in a placard load with any of the following: <ul> <li>Class 1: Explosives</li> <li>Division 4.3: Dangerous when wet Substances</li> <li>Division 5.1: Oxidising substances</li> <li>Division 5.2: Organic peroxides</li> <li>Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids</li> <li>Class 7: Radioactive materials unless specifically exempted</li> <li>and are incompatible with food and food packaging in any quantity.</li> </ul> </li> <li>Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong</li> </ul>	

SECTION 15 – REGULATORY	INFORMATION
<b>GHS Classification</b>	Classified as Hazardous according to the Globally Harmonised System of Classification and
	labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	S6 (ALKALINE SALTS)
ADG Code	Class 8
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION	
Issue Date	12 <sup>th</sup> January 2017
Version Number	V 2.0 GHS Classification
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
	AICS: Australian Inventory of Chemical Substances.



Product Name:

ECONO SPINWASH

Date of Issue: JAN 2017

Page 7 of Total 7

acronyms	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency
	services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	NOHSC: National Occupational Health and Safety Commission.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.
	UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)
	GHS Hazardous Chemical Information List (Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)
	"Australian Exposure Standards". Safework Australia
	Australian Code For The Transport Of Dangerous Goods By Road And Rail
	Standard for the Uniform Scheduling of Medicines and Poisons
	Material Safety Data Sheets – individual raw materials – Suppliers
	HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this
	product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this
	MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further
	information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.